



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/501,389

10/25/2004

Nicolas Dubois

P1902US

3109

8968 7590 12/09/2008
DRINKER BIDDLE & REATH LLP
ATTN: PATENT DOCKET DEPT.
191 N. WACKER DRIVE, SUITE 3700
CHICAGO, IL 60606

EXAMINER

THOMPSON, JR, OTIS L

ART UNIT

PAPER NUMBER

2419

MAIL DATE

DELIVERY MODE

12/09/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/501,389	Applicant(s) DUBOIS ET AL.	
	Examiner OTIS L. THOMPSON, JR	Art Unit 2419	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 October 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-5,9-18,20 and 22-31 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-5,9-18,20 and 22-31 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

Response to Arguments

1. Applicant's arguments filed October 23, 2008 with respect to the 35 U.S.C. 103(a) rejection of claims 1, 14, 29, and 30 have been fully considered but they are not persuasive. Applicant argues that the input and output ports of the AT&T reference do not correspond to Applicant's external ports, and that the monitor port of the AT&T reference does not correspond to Applicant's internal port. Applicant further notes that because the structure of the present application is the control unit and routing unit being connected via the internal port, on those packets (control packets) which are intended to the control unit are forwarded to the internal port, thus making the number of packets forwarded to the internal port smaller than the whole number of packets processed by the router.

Examiner respectfully disagrees with Applicant noting that the input and output ports of the AT&T reference do correspond to Applicant's external ports, and that the monitor port of the AT&T reference does correspond to Applicant's internal port, with the internal port connecting the routing unit and the controlling unit (For full explanation of structure and how the elements of the AT&T reference correspond and map to the elements of Applicant's claimed invention, see Section 5 of the Non-Final Office Action dated July 24, 2008). Examiner further notes that in column 5 lines 30-35 of AT&T, copies of all data packets do not necessarily have to be routed to the monitor port. AT&T discloses an alternative to routing copies of all data packets to the monitor port. That alternative is to route a selective set of data packets to the monitor port (Column 5, see lines 33-34 specifically). If the alternative of routing a selective set to the monitor

Art Unit: 2419

port is employed, then the number of packets forwarded to the monitor port would be smaller than the whole number of packets processed by the router, thereby decreasing the throughput for analysis and selection by the control module.

For these reasons the current rejections of claims 1, 14, 29, and 30 are maintained.

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 9, 11, 13, 14, 22, 24, 26, 29, and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over AT&T (EP 0 841 832 A2) in view of Baker et al. (US 6,266,700 B1).

3. **Regarding claims 1, 14, 29, and 30**, AT&T discloses *a method for monitoring the operation of data collection on the operation of a packet transmission communication network comprising interconnected routers, each of said router including a routing unit* (Figure 3 label 210; Column 4 lines 45-48, see "...interconnection network 210 routes data packets received at an input port to...output port(s)...") *and a control unit supervising the routing unit* (Column 6 lines 40-50, see "...characteristics of the interconnection network controlling the routing of data..." and "...modifications to the

Art Unit: 2419

interconnection network can be performed easily because the routing of data is controlled through software...”, i.e. Interconnection network 210 *supervises* the routing as well as performs the routing), *such that each of said routers has its respective said routing unit arranged for the transferring of first packets between external ports of that said router* (Column 5 lines 30-32, see “...interconnection network 210 routes each data packet [i.e. first packets] received at each input port to...output port(s) [i.e. between external ports]...”) *and for transferring second packets between external ports of that said router* (Column 5 lines 32-34, see “...routing a copy of all data packets [i.e. second packets] or routing selective...”; Figure 4, see lines from input ports through the interconnection network 210 to the monitor port, representing copies of packets exchanged between the input and output ports) *and an internal port connected to the control unit of that said router* (Figure 3, see Monitor Port 1 connected to interconnection network 210).

AT&T does not specifically disclose *selecting packets corresponding to at least some of the second packets transferred at said internal port of said any of said routers by means of a determined collection filter; and recording a content of the selected packets on a recording medium, said content comprising data on the operation of the network, wherein the selection of packets and an extraction of said content to be recorded of the selected packets are carried out by means of a collection module disposed inside said any of said routers and connected to said internal port of said any of said routers, these steps being parallel to the transfer of first and second packets by the routing unit of any of said routers.*

However, Baker et al. discloses a network filtering system in which a single logic control module (i.e. *collection module*), which may be implemented as hardware or software in a router (Column 3 lines 4-8), is utilized to perform any of a number of data manipulation functions on frames in a network including, for example, parsing, filtering, data generation or analysis, based upon one or more programmably configurable protocol descriptions which may be stored in and retrieved from an associated memory (See Abstract). Since the module may be implemented in a router (i.e. *means of a collection module disposed inside said any of said routers*), as that of AT&T disclosed above, it would obviously be connected to the monitor port of the router in Figure 3 of AT&T, where copies of packets are being received. Furthermore, since the module is separate from routing and control units, it can obviously perform its functions *parallel to the transfer of first and second packets*. The module *selects packets by means of a determined collection filter* (Column 3 lines 23-28, see "...logic for filtering a subset of network frames received...which satisfy a filter criteria defined...") and *records content of the selected packets on a recording medium* (Column 6 lines 32-35, see "...available data storage options (such as RAM, ROM, EPROM...)..."; i.e. It is inherent that the module records the content because it analyzes the content). The *content comprises data on the operation of the network* (Column 2 lines 42-45, see "...parsing, filtering, generating, and analyzing data (or frames of data) transmitted over a data communications network..."; i.e. Analyzing data obviously means that the filtered and collected data is based on the operation of the network) and *is extracted from the selected packets by the collection module* (Column 3 lines 17-23, see "...system of the

Art Unit: 2419

present invention...includes logic for extracting field values from particular network frames...”).

An advantage of Baker et al. is that the network analysis system is capable of determining which protocols and which protocol fields exist in a network frame using common control logic combined with configurable protocol descriptions.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to incorporate the teachings of Baker et al. into AT&T in order to determine which protocols and which protocol fields exist in a network frame using common control logic combined with configurable protocol descriptions.

4. **Regarding claims 9 and 22**, AT&T in view of Baker et al. discloses *reading recorded contents of selected packets*. Specifically, Baker et al. discloses the parsing, filtering, statistics gathering, and analysis of data frames (Column 2 lines 42-45), all of which inherently *read the recorded contents of selected packets*. The advantage of Baker et al. is that these functions are programmable (Column 3 lines 1-5). Therefore, *reading of recorded contents of selected packets* is obvious over AT&T in view of Baker et al.

5. **Regarding claims 11, 13, 24, and 26**, AT&T in view of Baker et al. discloses that *said content of a selected packet is recorded with coordinates of said selected packet* and that *the recorded coordinates of a selected packet comprise an address of the router which contains said internal port at which said second packet corresponding to said selected packet is transferred*. Specifically, Baker et al. discloses parsing, filtering, and analyzing based on programmable protocol descriptions stored in and

Art Unit: 2419

retrieved from memory (See Abstract). These stored protocols specify source and destination addresses (i.e. *coordinates*, i.e. *address of the router which contains said internal port*) (See Table 12 for example). Hence, it is obvious that the source and destination addresses would be recorded with the content of selected packets in order to perform coherent analysis on the content. Therefore, *recording coordinates of said selected packet with the content of the selected packet* is obvious over AT&T in view of Baker et al.

6. Claims 2, 3, 5, 10, 15-17, 20, and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over AT&T in view of Baker et al. as applied to claims 1 and 14 above, and further in view of Murthy et al. US (5,610,905).

7. **Regarding claims 2 and 15**, AT&T in view of Baker et al. discloses the claimed invention above but fails to teach or suggest *a recording unit connected to the communication network, remote from said router, and said content of the selected packets being sent to said recording unit*. However, Murthy et al. discloses that a monitoring device (i.e. *recording unit*) such as SnifferTM or LANalyzerTM is connected to the network medium, such as coaxial cable (i.e. *remote from said router*) (Column 1 lines 35-40). Murthy et al. further discloses that the monitoring port sends packet content to the monitoring device for analysis (Column 18 lines 24-34). This method allows for the provision of various diagnostic information enabling the network manager to locate problems, evaluate performance, and determine appropriate adjustments to network parameters (Column 18 lines 30-34).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to incorporate the teachings of Murthy et al. in to the system of AT&T in view of Baker et al. in order to provide various diagnostic information enabling the network manager to locate problems, evaluate performance, and determine appropriate adjustments to network parameters.

8. **Regarding claims 3, 16 and 17**, AT&T in view of Baker et al. does not teach or suggest *formatting of said content of the selected packets prior to the sending of this content to the recording unit via the communication network, the formatting comprising the assignment to the content of address data corresponding to the recording unit.*

However, Murthy et al. discloses that a monitoring device (i.e. *recording unit*) such as SnifferTM or LANalyzerTM is connected to the network medium, such as coaxial cable (Column 1 lines 35-40). Murthy et al. further discloses that the monitoring port sends packet content to the monitoring device for analysis (Column 18 lines 24-34). Since the monitoring device is remotely connected, any packet that is being sent thereto for analysis is inherently formatted for transmission using the address of the monitoring device. This method allows for the provision of various diagnostic information enabling the network manager to locate problems, evaluate performance, and determine appropriate adjustments to network parameters (Column 18 lines 30-34).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to incorporate the teachings of Murthy et al. in to the system of AT&T in view of Baker et al. in order to provide various diagnostic

Art Unit: 2419

information enabling the network manager to locate problems, evaluate performance, and determine appropriate adjustments to network parameters.

9. **Regarding claims 5 and 20**, AT&T in view of Baker et al. discloses the claimed invention above but fails to teach or suggest that *the collection module is remotely programmable by means of program codes sent to the collection module via the communication network*. However, Murthy et al. discloses that packets are selected for monitoring by a supervisory access terminal which is attached to the router. Using the terminal, the network manager is able to define the type of traffic to be copied to the monitoring port (Column 2, lines 46-53). The supervisory access terminal performs said defining by using a simple command-line language (i.e., *programming codes*) (Column 18, lines 43-45). Murthy et al. further discloses that alternately, these supervisory functions are carried out from any network-attached (i.e., *remotely programmable via the communication link or network*) terminal using well-known protocols (Column 2, lines 48-49). The invention Murthy et al. allows for the provision of various diagnostic information enabling the network manager to locate problems, evaluate performance, and determine appropriate adjustments to network parameters (Column 18 lines 30-34).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to incorporate the teachings of Murthy et al. in to the system of AT&T in view of Baker et al. in order to provide various diagnostic information enabling the network manager to locate problems, evaluate performance, and determine appropriate adjustments to network parameters.

Art Unit: 2419

10. **Regarding claims 10 and 23**, AT&T in view of Baker et al. and further in view of Murthy et al. discloses *a selection step according to a filter for reading recorded contents of packets selected according to the collection filter*. Specifically, Baker et al. discloses the inherent *reading of recorded contents* as shown above in section 6 of this office action, in which data is parsed and analyzed. Furthermore, it is obvious to select the recorded contents prior to reading because the selection step is what allows the reading. The data has been previously filtered and is collected together in storage; therefore selection for the purpose of reading is obvious.

11. Claims 4 and 18 are rejected under 35 U.S.C. 103(a) as being unpatentable over AT&T in view of Baker et al. in view of Murthy et al. as applied to claims 3 and 15 respectively above, and further in view of Fletcher et al. (US 6,108,782).

12. **Regarding claims 4 and 18**, AT&T in view of Baker et al. in view of Murthy et al. discloses the claimed invention above but fails to teach or suggest that *the content of the selected packets is encrypted prior to the sending of this content to the recording unit via the telecommunication network*. However, Fletcher et al. discloses distributed remote monitoring for networks in which collected data is encrypted before transmission in order to keep communication secure, disallowing hackers to access the data (Column 16 lines 60-67).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to incorporate the teachings of Fletcher et al.

Art Unit: 2419

into the system of AT&T in view of Baker et al. in view of Murthy et al. in order to keep communication secure, disallowing hackers to access the data.

13. Claims 12 and 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over AT&T in view of Baker et al. as applied to claims 11 and 24 respectively above, and further in view of Hafez et al. (US 6,513,065 B1).

14. **Regarding claims 12 and 25**, AT&T in view of Baker et al. discloses the claimed invention above but fails to teach or suggest that *the recorded coordinates of a selected packet comprise a timestamp of the collection of said selected packet*. However, Hafez et al. discloses an agent computer system for collecting raw data relating to one or more metrics, i.e., measurements of system resources on the agent computer system. The system uses a Universal Data Repository (UDR) which receives raw metric data from the one or more agents (See Abstract). Furthermore, each raw data point has an associated timestamp which is generated at the time of collection (Column 12 lines 45-50). The system uses this timestamp to maintain process state changes and to know the time that is associated with a specific metric (Column 12 lines 45-57).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to incorporate the teachings of Hafez et al. into the system of AT&T in view of Baker et al. in order to maintain process state changes and to know the time that is associated with a specific metric.

Art Unit: 2419

15. Claims 27 and 31 rejected under 35 U.S.C. 103(a) as being unpatentable over admitted prior art AT&T in view of Baker et al. as applied to claims 14 and 30 respectively above, and further in view of Datta et al. (US 2001/0047409 A 1).

16. **Regarding claims 27 and 31**, AT&T in view of Baker et al. discloses the claimed invention above but fails to specifically disclose *a unit for simulating the operation of the communication network by using the recorded contents of selected packets*. However, Datta et al. discloses an apparatus for network capacity evaluation and planning which performs the process shown in figure 6. At step 61, a measure of network volume for network links is computed. At step 62, network capacity, utilization, and balance are evaluated based on the network's current configuration and data volume. At step 63, a scenario is defined with an alternate configuration. At step 64, the data collected in steps 61 and 62 is evaluated for the alternate configuration. At step 65 additional scenarios are optionally performed. At steps 66 and 67, configurations are compared and selected and the desired configuration is created. The purpose of this method is to simulate all measurements in a network in order to provide assistance in defining a network so that a determination can be made as to whether one configuration is superior to another (Column 7, lines 34-38).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicants' invention was made to incorporate the teachings of Datta et al. into the system of AT&T in view of Baker et al. in order to simulate all measurements in a network in order to provide assistance in defining a network so that a determination can be made as to whether one configuration is superior to another.

17. Claim 28 is rejected under 35 U.S.C. 103(a) as being unpatentable over AT&T in view of Baker et al. as applied to claim 14 above, and further in view of Applicant's Admitted Prior Art (AAPA).

18. **Regarding claim 28**, AT&T in view of Baker et al. discloses the claimed invention above but fails to teach or suggest *a unit for constructing and/or updating, based on the recorded contents of selected packets, a table for determining paths intended to be respectively assigned to packets transferred by the routing unit of the router*. However, AAPA discloses a well known path determination method called Open Shortest Path First (OSPF) (Page 9 line 33-Page 10 line 4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the applicant's invention was made to incorporate the use of OSPF into the system of AT&T in view of Baker et al. as a path determination method for selected packets.

Conclusion

19. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the

Art Unit: 2419

shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to OTIS L. THOMPSON, JR whose telephone number is (571)270-1953. The examiner can normally be reached on Monday to Thursday 7:30 am to 5:00 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Chirag Shah can be reached on (571)272-3144. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Otis L Thompson, Jr./
Examiner, Art Unit 2419

Application/Control Number: 10/501,389

Page 15

Art Unit: 2419

December 5, 2008

/Chirag G Shah/

Supervisory Patent Examiner, Art Unit 2419